

# INDEX

Page numbers with *f* indicate figures  
Page numbers with *t* indicate tables

## A

- Abdominal-compression test, 27
- Ablation probe, 4
- Acromial bone, removal of, 46
- Acromioclavicular joint
  - inadequate resection of, 43–48, 44*f*
    - direct approach, 46
    - indirect approach, 45–46, 46*f*, 47*f*
    - minimizing complications, 48
    - preventing, 47
  - recognizing problem, 44–45, 44*f*
  - spurs at, 9, 10*f*, 11*f*
- Acromioplasty, 3, 32–33
  - arthroscopic, 31, 32–33
  - managing failed, 38–39
  - open, 38
  - preoperative evaluation of AC joint prior to, 47
  - preventing failed, 39
    - adequate bone resection, 39–40, 40*f*
    - establishing clear visualization and orientation, 40–41
- Air embolism, 14
- Airway obstruction, causes of, 15
- Airway patency, checking for, 15
- Airway problems, during shoulder arthroscopy, 13–14
- Allograft reconstruction of deficient capsular tissue, 56, 57*f*
- Anaphylaxis, 13–14
- Anchor insertion angle in rotator cuff repair, 30
- Antebrachial cutaneous nerve, lateral, 25
- Anterior apprehension test, 50, 62, 63
- Anterior-inferior labral tear, 49, 50*f*
- Anterior load and shift test, 50
- Arthropathy, spondylitic, 47
- Arthroscope, insertion of, into glenohumeral joint, 9
- Arthroscopic acromioplasty, 31, 32–33
- Arthroscopic Bankart repair, recurrent instability after, 49–58, 50*f*, 57*f*
  - current problem, 49–50, 51*f*, 52*f*
  - initial surgery, 49
  - managing, 56–57, 57*f*
  - managing recurrent stability, 55–56, 56*f*
  - minimizing complications, 57–58
  - recognizing, 50, 52*t*
    - bone deficiency, 52–53, 53*f*
    - capsulolabral failure, 53–54
    - inadequate or inappropriate rehabilitation, 55
    - ligamentous laxity in, 50, 52
    - nerve palsy, 55
    - surgical technique errors, 54–55, 54*f*
    - voluntary instability, 54
- Arthroscopic capsular release, 24
- Arthroscopic instability repair, stiffness after, 67–74
  - current problems, 68, 69, 69*f*
  - initial surgery, 67, 68–69, 68*f*, 70*f*
  - management of, 73–74
  - minimizing complications, 74
  - recognizing and managing delayed, 72
    - chondrolysis, 69*f*, 73
    - synovitis from suture anchors, 72, 72*f*
  - recognizing and managing immediate, 70
    - inadequate physical therapy, 70
    - nonanatomic capsular repair, 70–71, 71*f*
    - prominent or loose suture anchors, 71–72

## COMPLICATIONS IN ORTHOPAEDICS

Arthroscopic knot-tying techniques, 65, 65*f*  
 Arthroscopic rotator cuff repair, failure of, 27–35, 28*f*, 32*f*, 33*f*  
   management of, 32, 34, 34*f*  
   postoperative infection, 29–30  
   recognizing problem, 28–29, 29*ft*, 32  
   reducing tension on repair, 32  
   role of acromioplasty, 32–33  
   suprascapular nerve injury in, 33–34  
   suture anchors  
     configuration of placement, 30  
     pullout, 30  
     strength of fixation, 30  
   suturing technique, 30–31, 31*f*  
 Axillary nerve  
   risk of injury to, 25, 55  
   sensation in, 25, 32  
 Axillary roll, 24

**B**

Bankart lesions, 49, 50*f*, 52, 70  
   recurrence of true, 56  
 Bankart repair, 54, 54*f*, 70. See also Arthroscopic Bankart repair  
   suture anchors in, 70  
 Beach chair position, 1, 13, 17  
   nerve injuries associated with, 19, 20–21, 21*t*  
 Biceps load test, 63, 64  
 Biceps tenodesis, 10, 64  
   suture anchor in, 14  
 Biceps tenotomy, 64  
 Biceps tension test, 64  
 Bleeding  
   during shoulder arthroscopy, 1–7, 2*f*  
     controlling, 3  
     epinephrine in, 1, 3, 6  
     maintaining adequate hydrostatic pressure, 3–5, 4*f*, 5*f*  
     minimizing common complications, 5–7, 6*t*  
     recognizing problem, 2–3  
   in subacromial space, 2, 2*f*, 3, 10, 45  
     cautery device in controlling in, 5*f*, 10  
 Bone resection, insufficient, as cause of failed subacromial decompression, 39–40, 40*f*

Brachial plexus injuries, 19, 20  
 Bursal scarring in subacromial space, 1, 2*f*  
 Bursectomy, 4  
   examining subacromial space following, 3, 4*f*

**C**

Capsular laxity, evaluation of, 52  
 Capsular tissue deficiency, 53–54, 56  
   allograft reconstruction in, 56, 57*f*  
 Capsulolabral complex, 61, 65  
 Capsulolabral insufficiency, 53, 54  
 Cardiopulmonary collapse, 14  
 Cautery device in controlling bleeding in subacromial space, 5*f*, 7, 10  
 Cervical epidural steroid injections in treating neurologic injury, 25  
 Cervical radiculopathy, risk for, 20  
 Cervical root lesions, 20  
 Chondrolysis, 69*f*, 72, 73, 74  
   humeral head resurfacing for, 74*f*  
 Chondroplasty, thermal, 73  
 Cold irrigation fluids in promoting blood vessel constriction, 5  
 Collagen disorders, 52  
 Compartment syndrome, 13  
 Compression-rotation test, 63  
 Coracoacromial ligament, 6  
   bleeding and, 6  
 Coracoid transfer and revision capsulorrhaphy, 57  
 Corticosteroids in treating neurologic injury, 25  
 Cutting block technique, 40, 40*f*

**D**

Deadman's angle in rotator cuff repair, 30  
 Deep vein thrombosis, 29  
 Deltoid muscle, blood supply of, 4  
 Direct approach to AC joint resection, 46  
 Distal clavicle  
   coplaning of, 47  
     without resection, 47  
   excision of, 31  
   osteolysis of, 46, 47  
   resection of, 17  
 Drive-through sign, 62, 65, 66

- Dysesthesia  
hand, 19  
differential diagnosis for, following shoulder arthroscopy, 20*t*  
of the lateral femoral cutaneous nerve, 24
- E**
- Ecchymosis, 31
- Edema, severe, during shoulder arthroscopy, 9–15, 10*f*  
airway problems, 13–14  
causes of fluid overload, 12–13, 13*t*  
complications in, 13  
minimizing, 14–15, 14*t*  
management of, 14  
patient positioning, 13  
recognizing the problem, 11–12, 12*f*
- Ehlers-Danlos syndrome, 52
- Electrocautery, 3, 5*f*  
in obtaining hemostasis in subacromial space, 2
- Electromyographic/nerve conduction velocity studies, 25
- Emphysema, subcutaneous, 13
- Epinephrine in shoulder arthroscopy, 1, 3, 6
- Epinephrine toxicity, 3
- F**
- Femoral cutaneous nerve, dysesthesias of the lateral, 24
- Fluid extravasation  
as cause of airway obstruction, 15  
controlling, during shoulder arthroscopy, 11  
in lateral decubitus position, 13  
in rotator cuff tears, 12, 13  
screw-in cannulas in preventing out of subacromial space, 14–15
- Fluid overload following shoulder arthroscopy, 11–12, 12*f*  
causes of, 12–13, 13*t*
- G**
- Gabapentin in treating neurologic injury, 25
- Glenohumeral arthroscopy, 1, 10
- Glenohumeral arthrosis, 27, 37
- Glenohumeral joint, insertion of arthroscope into, 9, 10
- Glenoid  
anterior insufficiency of rim, 50, 51*f*  
bony deficiency at, 52–53, 52*f*, 53*f*
- H**
- Hand dysesthesia, 19  
differential diagnosis for, following shoulder arthroscopy, 20*t*
- Hawkins impingement sign, 27, 37
- Hematoma from interscalene block, 13
- Hemostasis  
as challenge in shoulder arthroscopy, 2–3  
multiple factors in maintaining, 3  
obtaining, in subacromial space, 2
- Heterotopic ossification, 42, 47
- Hill-Sachs deformity, 50, 51*f*, 56
- Hill-Sachs lesions, 53
- Humeral avulsion of the glenohumeral ligament (HAGL) lesion, 53, 56
- Humeral head  
defects of, 53  
resurfacing for chondrolysis of, 74*f*  
subluxation of, 50, 51*f*
- Hydrostatic pressure, maintaining adequate, in shoulder arthroscopy, 3–5, 4*f*, 5*f*
- Hypoesthesia, 19
- Hypoglossal nerve injury, 20
- I**
- Iatrogenic errors as cause of failed acromioplasty, 38
- Impingement sign, 27, 37, 43
- Indirect approach to AC joint resection, 45–46, 46*f*, 47*f*
- Inferior glenohumeral ligament, 71, 74
- Infraspinatus tendon, 9
- Interscalene block  
hematoma from, 13  
incomplete, as contribution to bleeding, 3  
neurologic sequelae of, 23  
in shoulder arthroscopy, 1, 9, 15, 17, 22
- Intra-articular bupivacaine pain pump, placement of, 73
- Isofluorance, 14
- L**
- Labral débridement, 1, 64
- Labral tear, 39  
anterior-inferior, 49, 50*f*
- Laryngoscopy, 14
- Lateral decubitus position, 9, 14  
fluid extravasation in, 13

## COMPLICATIONS IN ORTHOPAEDICS

nerve injuries associated with, 19, 21, 21*t*, 22  
 Latissimus dorsi transfer, 33, 34  
 Lift-off test, 27  
 Ligamentous laxity, 50, 52

**M**

Mason-Allen stitchery in rotator cuff repair, 27, 31  
 Meralgia paresthetica, 24  
 Middle glenohumeral ligament complex, 68, 69, 70*f*,  
 71, 74  
 Musculocutaneous nerve  
 risk to, in lateral decubitus position, 22  
 sensory branch of, 25

**N**

Needlepoint cautery, 4  
 Neer impingement sign, 27, 37  
 Nerve palsy  
 at the shoulder girdle, 55  
 suprascapular, 34  
 Neurapraxias, 19, 22  
 axillary, 24, 55  
 incidence of, 22–23  
 temporary, 25  
 Neurologic deficit following shoulder arthroscopy,  
 13, 17–25, 18*f*  
 anesthesia issues, 22–23  
 management of, 24–25, 25*f*  
 minimizing complications, 25  
 neurologic lesions, 24  
 patient positioning, 19–22, 20*f*, 21*ft*  
 portal creation, 22, 24*f*  
 recognizing, 19, 19*t*, 20*t*  
 surgical interventions, 23–24  
 Neurologic injury, treatment for, 25  
 Nonoutlet impingement, 41

**O**

O'Brien test, 43, 44  
 Open acromioplasty, 38  
 Os acromiale, 40  
 Osteochondral injury, 39  
 Outlet impingement, 41

**P**

Paresthesias, 25  
 Parietal pleura, puncture of, 13  
 Past-point compression techniques, 65

Peripheral nerve injuries, 25  
 Pharyngeal edema as cause of airway obstruction, 15  
 Phrenic nerve paralysis, 13  
 Pneumomediastinum, 13  
 Pneumothorax, 13, 14  
 Portal creation in shoulder arthroscopy, 22, 24*f*  
 Posterior apprehension test, 50  
 Posterior load and shift test, 50  
 Postoperative infection following failed rotator cuff  
 surgery, 29–30  
 Pregabalin in treating neurologic injury, 25  
 Propionibacterium acnes in postoperative infection, 30  
 Pseudoparalysis, 34

**R**

Reflex sympathetic dystrophy, 28  
 Relocation test, 63, 67  
 Reverse shoulder arthroplasty, 32, 33, 34, 34*f*  
 Rotator cuff  
 arthroscopic repair of, 17  
 failure of, 27–35, 28*f*, 32*f*, 33*f*  
 management of, 32, 34, 34*f*  
 postoperative infection, 29–30  
 recognizing problem, 28–29, 29*ft*, 32  
 reducing tension on repair, 32  
 role of acromioplasty, 32–33  
 strength of suture anchor fixation, 30  
 suprascapular nerve injury, 33–34  
 suture anchor placement, 30  
 suture anchor pullout, 30  
 suturing technique, 30–31, 31*f*  
 mobilization of, 10, 35  
 tear in, 9, 10*f*  
 fluid extravasation in, 12, 13  
 visualizing, 11*f*, 18*f*  
 Rotator interval closure, 55

**S**

Screw-in cannulas in preventing fluid extravasation out  
 of subacromial space, 14–15  
 Shoulder arthroscopy  
 bleeding problems during, 1–7, 2*f*, 6*f*  
 controlling bleeding, 3  
 epinephrine in, 1, 3, 6  
 initial surgery, 1–2, 2*f*  
 maintaining adequate hydrostatic pressure,  
 3–5, 4*f*, 5*f*  
 minimizing common complications, 5–7, 6*t*

- recognizing problem, 2–3
  - fluid overload following, 11–12, 12*f*
  - limitations on procedure time in, 14
  - neurologic deficit following, 17–25, 18*f*, 25*f*
    - anesthesia issues, 22–23
    - minimizing complications, 25
    - neurologic lesions, 24
    - patient positioning, 19–22, 20*f*, 21*ft*
    - portal creation, 22, 24*f*
    - recognizing neurologic injuries, 19, 19*t*, 20*t*
    - surgical interventions, 23–24
  - severe edema during, 9–15, 10*f*
    - case presentation
      - airway problems, 13–14
      - causes of fluid overload, 12–13, 13*t*
      - current problem and treatment, 11
      - initial surgery, 9–10, 11*f*
      - other complications, 13
      - patient positioning, 13
      - recognizing the problem, 11–12, 12*f*
      - minimizing common complications, 14–15, 14*t*
    - weight gain following, 11–12, 12*f*
- Shoulder girdle, nerve palsy at, 55
- Shoulder impingement syndrome, 38, 39, 41, 47
- Skin necrosis, 13
- Speed test, 44, 64
- Spondylitic arthropathy, 47
- Spondylosis, 25
- Spurling test, 18, 25
- Subacromial approach to AC joint resection, 45–46, 46*f*, 47*f*
- Subacromial decompression, failed, 37–42
  - management of, 38–39, 41, 42*f*
  - minimizing complications, 41–42
  - preventing failed acromioplasty, 39
    - adequate bone resection, 39–40, 40*f*
    - establishing clear visualization and orientation, 40–41
  - recognizing, 38, 38*t*
- Subacromial injection test, 39
- Subacromial space
  - arthroscope redirection into, 1
  - bleeding in, 2, 2*f*, 3, 10, 45
    - controlling, 3, 5*f*, 7, 10
  - bursal scarring in, 1, 2*f*
  - decompression of, 18
    - disorientation within, 41
    - electrocautery device in obtaining hemostasis in, 2, 3
    - examining, following bursectomy, 3, 4*f*
    - problems in seeing, 1
    - “red out” in, 2, 4
    - screw-in cannulas in preventing fluid extravasation
      - out of, 14–15
    - vascularity in, 2
- Subacromial spur, visualizing, 11*f*
- Subcutaneous emphysema, 13
- Sublabral foramen, 71
- Subraspinatus tendon, 9
- Sulcus sign, 50
- Superior approach to AC Joint resection, 46
- Superior labrum anterior-to-posterior (SLAP) lesions, 44
  - diagnosing, 63, 66
    - clinical features, 63–64
  - failed arthroscopic repair, 61–66, 62*f*
    - managing, 64–66, 65*f*
    - minimizing complications, 66
    - recognizing, 64
  - type II, 68, 69
- Superior labrum anterior-to-posterior (SLAP) tear, 67
- Suprascapular nerve injury, 33–34
  - direct, 34
- Suprascapular nerve palsy, 34
  - etiology of, 34
- Supraspinatus tendon, rotator cuff tear involving, 2*f*
- Suture anchors
  - in Bankart repair, 70
  - in biceps tenodesis, 14
  - inflammatory response caused by absorption of, 72
  - prominent or loose, in arthroscopic instability repair, 71–72
  - in rotator cuff repair, 17
    - bioabsorbable, 27, 30, 31
    - metallic, 30
    - placement of, 30, 35, 57
    - pullout of, 30
    - strength of fixation, 30
    - suturing technique, 30–31, 31*f*
    - synovitis from, 72, 72*f*
- Suture relay, 64–65
- Synovial inflammatory response, 72
- Synovitis from suture anchors, 72, 72*f*

COMPLICATIONS IN ORTHOPAEDICS

**T**

Tension pneumothorax, 13  
Thermal capsulorrhaphy, 24, 73  
Thermal chondroplasty, 73  
Thoracoacromial artery, acromial branch of, 4, 6  
Tinel sign, 18  
Transglenoid sutures, 55

**V**

Ventricular tachycardia, epinephrine-induced, 3

**W**

Weight gain following shoulder arthroscopy, 11–12, 12*f*







